

A modern interior space featuring a curved wall made of dark wood panels. The wall is illuminated by a series of recessed spotlights, creating a warm, ambient glow. In the foreground, two long, low wooden benches are positioned on either side of a central dark wooden pillar. The floor is a light, neutral color, and the ceiling is white with recessed lighting. The overall design is minimalist and elegant.

SPOT

SPOT | incasso



Recessed lighting fixture, which can be installed on walls and floors using a special formwork (available as an accessory) or in the case of plasterboard installation using clips (supplied). Particularly suitable for lighting stairs, ramps and corridors indoors or outdoors. Main body in aluminum machined from solid, it acts as a radiating surface and guarantees optimal heat dissipation. Visible round frame and size from 27mm to 47mm depending on the model (see drawings on the side), made of AISI 304 stainless steel. The appliance is fixed to the suitable formwork (see drawings on the side), using special retaining gaskets which allow it to be blocked.

Source

Chip On Board (COB) LED technology.

Optics

Rotosymmetrical optics available in various apertures (see table alongside) and protected by a 5mm thick extra-clear sealing glass.

Power supply

Electronic ballast not supplied. Power supply 1W@350mA, 2W@500mA, 3W@700mA.

Note

Outgoing power supply cable L=10m in 2x0.75mm² neoprene. If the appliance is correctly installed, it guarantees resistance to a static load of 2000kg. IP67 protection both on the product and on the cable using IP67 connectors. The product is not suitable for installations in swimming pools and fountains.


Accessories

Electronic ballasts available in the standard version (on-off), for single or multiple installations. Formwork for masonry installation.



Sorgente LED sostituibile solo
da tecnico abilitato
LED source replaceable only
by a qualified technician

Request the replacement manual from our technical offices



Alimentatore sostituibile
Power supply replaceable

