



STRIP LED





STRIP LED



Corpo

Striscia flessibile in rolla da 5m frazionabile, impermeabilizzata da uno strato di silicone, di larghezza 10mm per la versione bianca e 12mm per la versione RGB. Provvista di adesivo 3M posizionato posteriormente.

Body

Flexible strip available in 5m divisible roll, waterproofed with a silicone layer, 10mm width for white version and 12mm width for RGB version. Provided with 3M adhesive in the back.

Sorgenti

Modulo LED da 14,4W/m bianco 6000K, 4000K, 3000K o RGB

Emissioni

Simmetrica 120°.

Light sources

14,4 LED module available in 6000K, 4000K, 3000K or RGB.

Emissions

Symmetrical 120°.

Alimentazione

Alimentatori elettronici disponibili come accessori.

Accessori

Alimentatori elettronici.
Profili in alluminio e diffusori in policarbonato.

Power supply

Drivers available as an accessory.


Accessories

*Drivers.
Aluminum profiles and polycarbonate diffuser*

via Licinio Ferretti 5/A
43126 - Parma (PR) - Italy
Tel. +39.0521.1564103
Mail. info@xlitesrl.it

www.xlitesrl.it





STRIP LED

V	Potenza	lm/m	IP	mm (L)	K°	Emissione
V	Power	lm/m	IP	mm (L)	K°	Emission
24V	14,4W	1200	20	5000	3000/4000/6000	diffondente
24V	14,4W	500	20	5000	RGB	diffondente
24V	14,4W	1200	65	5000	3000/4000/6000	diffondente
24V	14,4W	500	65	5000	RGB	diffondente

