





COLA

STUDIO ARCHEA - ARCHITETCT MARCO CASAMONTI



COLA round | Driveway recess



COLA round | Driveway recess

Watt*	Lumen**	øDiameter mm	K	Emission
4W	420	104	3000 K 4000 K	Wide (110°)
8W	840	164		

Standby Power: 0 | Mains Standby Power: 0 | Power Int.: 350mA 6V, 350mA 18V
*LED Power **Total Luminaire Output @Tamb 25° - 4000°K
Consider an 8% reduction in output flux for 3000°K LED sources

COLA Round Formwork

Version	Dimension
4W	250x300xH120
8W	260x300xH111

Colour



Charateristics




Connectors



Socket-plug





3-way "T" type








COLA square | Driveway recess




Cola square Recessed

1,00 Kg
104x104




Cola maxi square recessed


1,80 Kg
164x164



Cola square recessed formwork



Cola maxi square recessed formwork



COLA square | incasso carrabile

Watt*	Lumen**	L Lenght	K	Emission
4W	420	104	3000 K 4000 K	Wide (110°)
8W	840	164		

Standby Power: 0 | Mains Standby Power: 0 | Power Int.: 24Vdc
*LED Power **Total Luminaire Output Flux @Tamb 25° - 4000°K
Consider an 8% reduction in output flux for 3000°K LED sources

COLA square formwork

Version	Dimension
4W	250x300xH120
8W	260x300xH111

Colour



Charateristics



Connectors



Socket-plug



3-way "T" type

