


MALAGA

MALAGA | applique



Malaga applique

0,65 Kg



LED luminaire for wall installation, with reflected emission. Suitable for enhancing elevations and cladding materials, the minimal design makes MALAGA perfectly integrated with any type of architecture. Body and passive dissipation system made of anodized aluminum alloy and subsequently powder coated to provide high resistance to atmospheric agents and UV rays. Wall fixing system with anodized aluminum alloy plate. Can be installed on any flat surface by dowelling. The DOB (driver on board) LED electronics protected by a transparent polycarbonate diffuser which guarantees its protection.

Source

DOB LED module specially designed to ensure maximum uniformity and the total absence of point light.

Optics

Rotosymmetric emission (see table alongside) protected by a transparent polycarbonate screen designed to reduce glare.

Power supply

No electronic ballast, available in the standard version (on-off). Power supply 220-240Vac 50/60Hz.

Note

We recommend the use of the SPD protection device, supplied by us upon request.

MALAGA | applique


Sorgente Light source	Watt LED*	Lumen OUT**	Classe Energetica Energy rating***	K	Alimentazione Power supply	Emissione Emission	Colore Colour
LED	7W	448		3.000° K	ON-OFF	Doppia emissione	<input type="checkbox"/> white <input type="checkbox"/> grey <input type="checkbox"/> anthracite

*LED power **Total flow exiting the appliance @Tamb 25° - 3000°K ***This product contains an Energy Efficiency Class light source G

Connectors




Connettori IP



Sorgente LED sostituibile solo da tecnico abilitato
LED source replaceable only by a qualified technician

Request the replacement manual from our technical offices



Alimentatore sostituibile solo da tecnico abilitato
Power supply replaceable only by a qualified technician

CATALOGO **XLITE 2023** | www.xlitesrl.it



On demand:

SPD



For updated technical data or further technical information, consult the website (www.xlitesrl.it)
For correct assembly of the appliance, consult the user manual

