



URANO



URANO | sospensione



Urano mini sospensione 600mm

7,30 Kg
Spessore 80mm



diam. est. Ø600
diam. int. Ø450
Cavo max 1500mm

Urano medium sospensione 900mm


9,70 Kg
Spessore 80mm



diam. est. Ø900
diam. int. Ø750
Cavo max 1500mm

Urano maxi sospensione 1200mm

11,80 Kg
Spessore 80mm



diam. est. Ø1200
diam. int. Ø1050
Cavo max 1500mm

URANO | sospensione

Watt*	Lumen**	ØDiametro mm	K	Emissione
40W	2800	600	3000 K 4000 K	Wide (115°)
56W	4000	900		
72W	5200	1200		

P. Stand-by: 0 | P. Stand-by in rete: 0 | Int. Elettrica: 230 Vac 50Hz
*Potenza dei LED **Flusso totale in uscita dall'apparecchio @Tamb 25° - 4000°K
Considerare una riduzione del flusso in uscita dell'8% per sorgente LED 3000°K

Colori



Caratteristiche



A richiesta:



Per i dati tecnici aggiornati o per ulteriori informazioni tecniche consultare il sito web (www.xlitesrl.it)
Per il corretto montaggio e/o sostituzione dell'apparecchio visionare il manuale d'uso o contattare l'ufficio tecnico

