



CALIMERO

CALIMERO | lampada da tavolo




Decorative LED table lamp with direct light emission, body made of press-molded polycarbonate. Diffuser made of thermo-formed and silk-screened polycarbonate with polka dot graphics specially designed to ensure excellent glare reduction. Turning on and off the touchless device, possibility to adjust the intensity of the light and the Kelvin gradation. The support base of the device also acts as a wireless charger.

Source
LED module specially designed to ensure maximum uniformity.

Optics
Roto-symmetrical emission (see table opposite) protected by an opal methacrylate anti-glare screen designed to reduce glare.

Power Supply
Electronic power supply integrated into the body of the fixture, available in standard versions (on-off). Power supply 220-240Vac 50 / 60Hz.



CALIMERO lampada da tavolo							
Sorgente Light source	Watt LED*	Lumen OUT**	Classe Energetica Energy rating***	K	Alimentazione Power supply	Emissione Emission	Colore Colour
LED	7W	430	G A G	Regolabile (2.700°K - 5.000°K)	DIMMERABILE	Spot (25°)	white


P. Stand-by: 0 | P. Stand-by in rete: 0 | Int. Elettrica: 230 Vac 50Hz
*LED power **Total flow exiting the appliance @ Tamb 25° - 4000°K ***This product contains an Energy Efficiency Class light source G
Consider a reduction in output flow dell'8% by source LED 3000°K


- Legenda**

 - 1. Infrarossi ON / OFF
 - 2. Porta di ricarica USB
 - 3. Pad di ricarica wireless
 - 4. Temp. Colore e luminosità regolabile.
- Legend**


 - 1. Infrared ON/OFF
 - 2. USB charging port
 - 3. Wireless charging pad
 - 4. Color temp. and brightness Adj.



 Sorgente LED non sostituibile
Non-replaceable LED source

 Alimentatore non sostituibile
Non-replaceable power supply

Request the replacement manual from our technical offices



For updated technical data or further technical information, consult the website (www.xlitesrl.it)



**CARICABATTERIE
WIRELESS
PER SMARTPHONE**