




ZOFF

STUDIO ARCHEA - ARCHITECT MARCO CASAMONTI



ZOFF | Recessed Light



ZOFF | Recessed Light

Watt*	Lumen**	L Lenght	K	Emission
20W	2000	1013 mm	3000 K 4000 K	Flood (70°)
30W	3000	1513 mm		

Standby Power: 0 | Mains Standby Power: 0 | Power Int.: 230 Vac 50Hz
*LED Power **Total Luminaire Output Flux @Tamb 25° - 4000°K
Consider an 8% reduction in output flux for 3000°K LED sources

Colours



Characteristics





On request:





ZOFF | Plafoon Light



ZOFF Plafoon Light				
Watt*	Lumen**	L Lenght	K	Emission
20W	2000	1013 mm	3000 K 4000 K	Flood (70°)
30W	3000	1513 mm		

Standby Power: 0 | Mains Standby Power: 0 | Power Int.: 230 Vac 50Hz
*LED Power **Total Luminaire Output Flux @Tamb 25° - 4000°K
Consider an 8% reduction in output flux for 3000°K LED sources

Colours



Characteristics





On request:





ZOFF | Pendant Light



ZOFF Pendant Light				
Watt*	Lumen**	L Lenght	K	Emission
20W	2000	1013 mm	3000 K 4000 K	Flood (70°)
30W	3000	1513 mm		

Standby Power: 0 | Mains Standby Power: 0 | Power Int.: 230 Vac 50Hz
*LED Power **Total Luminaire Output Flux @Tamb 25° ~ 4000°K
Consider an 8% reduction in output flux for 3000°K LED sources

Colours



Characteristics



On request:

