




DUKE

DUKE | applique




Duke mini applique

1,80 Kg




Duke medium applique

2,80 Kg



Duke maxi applique

3,80 Kg



DUKE applique				
Watt*	Lumen**	øDiameter mm	K	Emission
28W	3500	71	3000 K 4000 K	Double emission
56W	8000	125		
80W	11112	150		

Standby Power: 0 | Mains Standby Power: 0 | Power Int.: 230 Vac 50Hz
*LED Power **Total Luminaire Output @Tamb 25° - 3000°K

Connectors



IP Connector

Colours



Charateristics




DUKE MONO | applique




Duke Mono mini applique

1,40 Kg




Duke Mono medium applique

2,40 Kg



Duke Mono maxi applique

3,40 Kg



DUKE MONO applique				
Watt*	Lumen**	øDiameter mm	K	Emission
14W	1680	71	3000 K 4000 K	Spot (20°) Medium (36°) Flood (51°)
28W	3840	125		
40W	5335	150		

Standby Power: 0 | Mains Standby Power: 0 | Power Int.: 230 Vac 50Hz
*LED Power **Total Luminaire Output @Tamb 25° - 3000°K

Connectors



IP Connector

Colours



Charateristics






DUKE | Ceiling




Duke mini plafone

1,80 Kg




Duke medium plafone

2,80 Kg



Duke maxi plafone

3,80 Kg



DUKE Ceiling				
Watt*	Lumen**	øDiameter mm	K	Emission
14W	1750	71	3000 K 4000 K	Spot (20°) Medium (36°) Flood (51°)
28W	3898	125		
40W	5667	150		

Standby Power: 0 | Mains Standby Power: 0 | Power Int.: 230 Vac 50Hz
*LED Power **Total Luminaire Output @Tamb 25° - 3000°K

Connectors



IP Connector

Colours



Charateristics




DUKE | Street Light




Duke 1 Street Light

5,20 Kg



Duke 2 Street Light

8,50 Kg



DUKE Street Light				
Watt*	Lumen**	Version	K	Emission
35W	4500	Duke 1	3000 K 4000 K	Medium (40°) Flood (60°)
70W	9000	Duke 2		

Standby Power: 0 | Mains Standby Power: 0 | Power Int.: 230 Vac 50Hz
*LED Power **Total Luminaire Output @Tamb 25° - 3000°K

Connectors



Socket-plug



3-way "T" type

Colours



Charateristics

