




PANAMA



PANAMA BOLLARD | Bollard


Panama Bollard mod. A

4,50 Kg



Panama Bollard mod. B

4,50 Kg



PANAMA BOLLARD Bollard			
Watt*	Lumen**	K	Emission
9W	1300	3000 K 4000 K	Wide (119°)

Standby Power: 0 | Mains Standby Power: 0 | Power Int.: 230 Vac 50Hz
*LED Power **Total Luminaire Output @Tamb 25° - 3000°K

Connectors



Socket-plug



3-way "T" type

Colours




Charateristics




On request:




PANAMA POLE | Bollard



Panama Pole mod. A



Panama Pole mod. B



PANAMA POLE | Bollard

Watt*	Lumen**	K	Emission
9W	1300	3000 K 4000 K	Wide (119°)

Standby Power: 0 | Mains Standby Power: 0 | Power Int.: 230 Vac 50Hz
*LED Power **Total Luminaire Output @Tamb 25° - 3000°K

Connectors



Socket-plug



3-way "T" type

Colours



Charateristics






A richiesta:





PANAMA STREET LIGHT | Street

Panama Street Light mod. A



PANAMA STREET LIGHT | Street Light

Watt*	Lumen**	K	Optics
29W	4500	3000 K 4000 K	AS1 - Asimmetric 1 ST1 - Street 1 ST2 - Street 2 CP - Batwing

Standby Power: 0 | Mains Standby Power: 0 | Power Int.: 230 Vac 50Hz
*LED Power **Total Luminaire Output @Tamb 25° - 3000°K

Connectors



Socket-plug



3-way "T" type

Colours



Charateristics



A richiesta: